ELSEVIER

Journal of Magnetism and Magnetic Materials 160 (1996) 389–396

Journal of magnetism and magnetic materials

Author index to volume 160

Abe, M., see Haiji, H. 109
Ahlers, H., J. Lüdke and J. Sievert, Coercivity meter with earth's magnetic field compensation 187
Ahlers, H., see Sievert, J. 115
Alves, F., see Houzali, A. 291
Amano, E., see Quintana, P. 245
Anayi, F.J., see Basak, A. 197
Aoki, H., see Matsubara, K. 185
Appino, C., see Beatrice, C. 302
Arcas, J., see Gómez-Polo, C. 194
Audisio, S., see Crottier-Combe, S. 151

Balogh, J., see Kiss, L.F. 229
Bán, G. and F. Janosi, Measuring system and evaluation method of DC and AC magnetostriction behaviour to investigate 3.2% SiFe GO electrical steels 167
Barandiarán, J.M., see Fernández Barquín, L. 297
Barariu, F., see Chiriac, H. 237
Barariu, F., see Chiriac, H. 239
Baricco, M., see Viala, B. 315
Bartolomé, F., see Przeniosło, R. 370
Bartolomé, J., see Przeniosło, R. 370
Basak, A., A.J. Moses and M.R. Yasin, Flux distribution and loss in a 100 kVA 3-phase wound amorphous transformer core 210
Basak, A., D.M. Rowe and F.J. Anayi, Thin film sensors for magnetic flux and loss measurements 197
Basso, V., see Tiberto, P. 271
Baszyński, J. and T. Toliński, Magnetic properties of ultra-thin iron films in Ag/Fe/Ag sandwiches 345
Beatrice, C., C. Appino, E. Ferrara and F. Fiorillo, Losses in transverse field annealed amorphous ribbons 302
Beatrice, C., see Tiberto, P. 271
Belgrand, T., see Swan, J.-P. 31
Benda, O. and J. Bydžovský, Problems in modeling reversible processes in soft magnetic materials 87
Bertotti, G., see Durin, G. 299
Bertotti, G., see Lo Bue, M. 51
Bertotti, G., see Tiberto, P. 271
Bi, D.Y., V.E. Zubov and A.D. Kudakov, A new method of measuring hysteresis loops on local areas of the surface of a ferromagnet 157
Birkfeld, M. and K.A. Hempel, An extended description of the behaviour of steel sheet under rotational flux conditions 17
Birkfeld, M., see Sievert, J. 115
Blanco, J.M., see Quintana, P. 245
Booth, T., see Ilo, A. 38
Booth, T., see Nussbaum, C. 81
Booth, T., see Weiser, B. 207
Bottauscio, O., E. Carpaneto, M. Chiampi and M. Repetto, The Tinney algorithm and fixed point technique for rapid solution of magnetic nonlinear problems 94
Bottauscio, O., M. Chiampi and M. Repetto, A finite element solution for periodic eddy current problems in hysteretic media 96
Bouguila, L., see Kaczmarek, R. 49
Britel, M., see Rudkowski, P. 313
Brzózka, K., A. Ślawska-Waniewska and K. Jezuita, Mössbauer studies of FeZrB(Cu) amorphous alloys 255
Bydžovský, J., see Benda, O. 87

Cao, J.Z., see Wu, Z.Q. 79
Carpaneto, E., see Bottauscio, O. 94
Carrizo, J., see Tejedor, M. 309
Cercelaru, S., A.-M. Nguyen, P. Hesto, G. Tremblay and J.-C. Perron, A comparative study of the magnetic properties of thin permalloy films 338
Chiampi, M., see Bottauscio, O. 94
Chiampi, M., see Bottauscio, O. 96
Chiriac, H., F. Barariu and V. Nagacevschi, Thermoelectromotive force in magnetic amorphous–crystalline $Fe_{79}Si_5B_{16}$ wire systems 239
Chiriac, H., T.A. Óvári, Gh. Pop and F. Barariu, Internal stresses in highly magnetostrictive glass-covered amorphous wires 237
Cho, Y., see Son, D. 65
Chrzumnicka, K., J. Dubowik, R. Gontarz, I. Gościańska, H. Ratajczak, L. Smardz, F. Stobiecki and B. Szymański, Soft magnetic properties of Co/Ti multilayers 349
Chrzumnicka, K., see Luciński, T. 354
Ciureanu, P., see Rudkowski, P. 313
Ciurzyńska, W., see Zbroszczyk, J. 281
Ciurzyńska, W.H., see Zbroszczyk, J. 141
Ciurzyńska, W.H., see Zbroszczyk, J. 277
Ciurzyńska, W.H., see Zbroszczyk, J. 279
Cornut, B., A. Kedous-Lebouc and Th. Waeckerlé, From metallurgy to modelling of electrical steels: a multiple approach to their behaviour and use based on physics and experimental investigations 102

0304-8853/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

Cornut, B., see Kedous-Lebouc, A. 45
Cornut, B., see Mekhiche, M. 125
Cornut, B., see Nencib, N. 171
Cornut, B., see Nencib, N. 174
Cornut, B., see Sievert, J. 115
Cornut, B., see Spornic, S. 147
Couderchon, G., see Gautard, D. 359
Coutu, L., see Gautard, D. 359
Crottier-Combe, S., S. Audisio, J. Degauque, J.L. Porteseil, E. Ferrara, M. Pasquale and F. Fiorillo, The magnetic properties of Fe–Si 6.5 wt% alloys obtained by a $SiCl_4$-based CVD process 151
Czapkiewicz, M., T. Stobiecki and M. Kopcewicz, Interface structure and magnetic and electrical properties of Fe/Ti multilayers 357

Dahlgren, M., R. Grössinger, A. Hernando, D. Holzer, M. Knobel and P. Tiberto, Magnetic properties of $Fe_{86}Zr_7Cu_1B_6$ at elevated temperatures 247
Degauque, J., see Crottier-Combe, S. 151
Degauque, J., see Viala, B. 315
De Paepe, A., K. Eloot, J. Dilewijns and C. Standaert, Effect of hot rolling parameters on the magnetic properties of a low-silicon ultra-low-carbon steel 129
De Paepe, A., see Standaert, C. 139
Desvignes, J.M., see Jabłoński, R. 367
Dilewijns, J., see De Paepe, A. 129
Dlouhý, D., see Hašlar, V. 257
Dmitrieva, N.V., see Kurlyandskaya, G.V. 307
Doan, T., see Nafalski, A. 154
Doan, T., see Nafalski, A. 84
Duan, X., H. Huneus, T. Kochmann, K. Leuridan, R. Kaczmarek and F. Protat, Effect of annealing temperature and heating rate on the magnetic and mechanical properties of electrical steel 133
Dubowik, J., see Chrzumnicka, K. 349
Dubowik, J., see Luciński, T. 347
Dubowik, J., see Szymański, B. 351
Duhaj, P., see Hašlar, V. 257
Duhaj, P., see Heczko, O. 259
Duhaj, P., see Kaczkowski, Z. 275
Dupré, L.R., see Philips, D.A. 5
Durin, G., A. Magni and G. Bertotti, Measurements of the Barkhausen effect in FeCoB amorphous alloys 299

Echavarrieta, C., see Quintana, P. 245
Elefant, D., see Luciński, T. 347
Eloot, K., see De Paepe, A. 129
Eloot, K., see Standaert, C. 139
Enokizono, M., A. Nishimizu and M. Oka, Estimation of fatigue level by rotational Barkhausen noise 43
Enokizono, M., S. Kanao and K. Shibao, Permeability tensor of high induction level in a rotational magnetic flux 73
Enokizono, M., T. Todaka and K. Nakamura, Flux distribution in a wound core of a single-phase transformer 61
Enokizono, M., see Kanada, T. 77
Enokizono, M., see Zbroszczyk, J. 141

Fedoriv, V.D., see Kostishyn, V.G. 361
Fernández Barquín, L., J.M. Barandiarán, I. Tellería and J.C. Gómez Sal, A comparative study of the crystallization of Co–Si–B metallic glasses 297
Ferrara, E., see Beatrice, C. 302
Ferrara, E., see Crottier-Combe, S. 151
Ferrara, E., see Viala, B. 315
Fiorillo, F., see Beatrice, C. 302
Fiorillo, F., see Crottier-Combe, S. 151
Fiorillo, F., see Sievert, J. 115
Fiorillo, F., see Viala, B. 315
Fischer, P., see Przeniosło, R. 370
Fischer, P., see Sosnowska, I. 382
Fischer, P., see Sosnowska, I. 384
Fox, D., see Khanlou, A. 159
Fraisse, H., see Peccolo, M.A. 47
Fujikura, M., H. Sawairi and T. Sato, Influence of Sn addition on the magnetic properties of amorphous Fe–Si–B alloys containing Ti 289
Fujiwara, K., see Matsubara, K. 185
Fujiwara, K., see Matsubara, K. 41
Fujiwara, K., see Nakata, T. 177
Fukagawa, T., see Yashiki, H. 127
Fukunaga, H., see Zbroszczyk, J. 277
Fulmek, P.L. and H. Hauser, Magnetization reversal in an energetic hysteresis model 35

Ganne, J.-P., see Lebourgeois, R. 329
Gan'shina, E.A., A.B. Granovsky, V.S. Guschin, N.S. Perov and A.A. Radkovskaya, Magnetic and magnetooptical properties of $(Fe_{30}Co_{70})_xAg_{1-x}$ systems 335
García, J.A., see Tejedor, M. 309
Gautard, D., G. Couderchon and L. Coutu, 50–50 CoFe alloys: magnetic and mechanical properties 359
Gawior, W., see Kolano, R. 213
Gelin, Ph., see Laurent, P. 63
Göl, Ö., Discrete circuit modelling of electrical machines 68
Göl, Ö., see Nafalski, A. 154
Goleman, R., Basic properties of a single-phase hybrid motor prototype 75
Gómez-Polo, C., J. Arcas, M. Vázquez and A. Hernando, A critical current sensor based on the Matteucci effect of a toroidal Fe-rich amorphous wire 194
Gómez-Polo, C., see Knobel, M. 243
Gómez Sal, J.C., see Fernández Barquín, L. 297
Gontarz, R., see Chrzumnicka, K. 349
Gonzalez, J., see Quintana, P. 245
Gościańska, I., see Chrzumnicka, K. 349
Grahl, H., see Müller, M. 284
Granovsky, A.B., see Gan'shina, E.A. 335
Grössinger, R., see Dahlgren, M. 247
Grössinger, R., see Kussbach, C. 293
Grössinger, R., see Ljungcrantz, B. 305
Guschin, V.S., see Gan'shina, E.A. 335

Haiji, H., K. Okada, T. Hiratani, M. Abe and M. Ninomiya, Magnetic properties and workability of 6.5% Si steel sheet 109
Haneczok, G., see Zbroszczyk, J. 279
Harada, K., see Maeda, H. 149
Hargitai, C., see Németh, S. 183
Hargitai, C., see Pogány, L. 189
Hasegawa, N., A. Makino, A. Inoue and T. Masumoto, Magnetic domain structure of nanocrystalline Fe–M–B (M = Zr, Nb) alloys revealed by Lorentz electron microscopy 249
Hasenzagl, A., B. Weiser and H. Pfützner, Magnetostriction of 3% SiFe for 2-D magnetization patterns 55
Hasenzagl, A., B. Weiser and H. Pfützner, Novel 3-phase excited single sheet tester for rotational magnetization 180
Hasenzagl, A., see Weiser, B. 207
Hashimoto, M., see Saito, A. 57
Hasiak, M., see Zbroszczyk, J. 141
Hasiak, M., see Zbroszczyk, J. 277
Hasiak, M., see Zbroszczyk, J. 279
Hasiak, M., see Zbroszczyk, J. 281
Hašlar, V., L. Kraus, D. Dlouhý, P. Duhaj and P. Švec, Influence of Si and Nb content on magnetostriction and creep-induced magnetic anisotropy of nanocrystalline FeNbCuSiB alloys 257
Hašlar, V., see Heczko, O. 259
Hauser, H., see Fulmek, P.L. 35
Hayakawa, Y., J.A. Szpunar, G. Palumbo and P. Lin, The role of grain boundary character distribution in Goss texture development in electrical steels 143
Hayakawa, Y., see Takamiya, T. 131
Heczko, O., L. Kraus, V. Hašlar, P. Duhaj and P. Švec, Magnetic properties of the crystalline and amorphous components of a nanocrystalline FeNbB alloy 259
Hempel, K.A., see Birkfeld, M. 17
Hempel, K.A., see Sievert, J. 115
Hernando, A., see Dahlgren, M. 247
Hernando, A., see Gómez-Polo, C. 194
Hernando, A., see Kulik, T. 269
Hernando, A., see Valenzuela, R. 241
Hernando, B., see Tejedor, M. 311
Hesto, P., see Cercelaru, S. 338
Hiratani, T., see Haiji, H. 109
Holzer, D., see Dahlgren, M. 247
Holzer, D., see Kussbach, C. 293
Hoskins, B.G., see Nafalski, A. 84
Houzali, A., F. Alves and J.C. Perron, Stress and structural relaxation in amorphous ribbons along dynamic current annealing 291
Huhn, G., see Kiss, L.F. 229
Huneus, H., see Duan, X. 133

Ilo, A., B. Weiser, T. Booth and H. Pfützner, Influence of geometric parameters on the magnetic properties of model transformer cores 38
Ilo, A., see Nussbaum, C. 81
Inoue, A., see Hasegawa, N. 249
Irvine, J.T.S., see Valenzuela, R. 386
Ishibashi, M., see Yoshitomi, Y. 123
Ishihara, Y., see Maeda, H. 149
Ishihara, Y., see Nakata, T. 119

Jabłoński, R., A. Maziewski, M. Tekielak and J.M. Desvignes, FMR study of Co-substituted yttrium iron garnet films 367
Jacyna-Onyszkiewicz, I. and T. Mydlarz, Hollandite-type compounds $K_2Me(FeV)_{3.5}O_{16}$ (Me = Co or Ni) with magnetic ordering 379
Jacyna-Onyszkiewicz, I., T. Mydlarz and N.P. Tishchenko, Crystal and magnetic properties of $Cu_{1-x}Ni_x(FeV)_{0.5}O_3$ systems 376
Jagiełło, A.St., Mathematical modelling of transformer sheet steel magnetization 91
Jančárik, V., see Sláma, J. 203
Janosi, F., see Bán, G. 167
Jezuita, K., see Brzózka, K. 255

Kaczkowski, Z., L. Kraus, G. Vlasák and P. Duhaj, Saturation magnetostriction determination of annealed $Fe_{73.5}Nb_3Cu_1Si_{13.5}B_9$ alloy using two methods 275
Kaczmarek, R., L. Bouguila and D. Sadarnac, Magnetic loss in MnZn ferrite under trapezoidal 1 MHz voltage supply 49
Kaczmarek, R., see Duan, X. 133
Kaleta, J., S. Tumański and J. Żebracki, Magnetoresistors as a tool for investigating the mechanical properties of ferromagnetic materials 199
Kamijyo, Y., see Nakata, T. 119
Kan, T., see Takamiya, T. 131
Kanada, T., M. Enokizono, K. Kawamura and J.D. Sievert, Two-dimensional magnetic properties of a three-phase amorphous transformer core 77
Kanao, S., see Enokizono, M. 73
Kaptás, D., see Kiss, L.F. 229
Kawaguchi, E., see Saito, A. 57
Kawamura, K., see Kanada, T. 77
Kedous-Lebouc, A., N. Nencib, B. Cornut and S. Spornic, A new hysteresis loop for rotational losses 45
Kedous-Lebouc, A., see Cornut, B. 102
Kedous-Lebouc, A., see Nencib, N. 171
Kedous-Lebouc, A., see Nencib, N. 174
Kedous-Lebouc, A., see Sievert, J. 115
Kedous-Lebouc, A., see Spornic, S. 147
Kemény, T., see Kiss, L.F. 229
Khanlou, A., A.J. Moses, P. Ling and D. Fox, Correlation and inter-comparison between the magnetic properties of toroidal wound cores and C-cores 159
Kirpenko, A.G., see Kostishyn, V.G. 363
Kirpenko, A.G., see Kostishyn, V.G. 365
Kisdi-Koszó, É., I. Szabó, Z. Vértesy, M. Kuźmiński and P. Kollár, Magnetic properties of finemet-type thin layers 333
Kisdi-Koszó, É., see Novák, L. 261

Kiss, L.F., G. Huhn, T. Kemény, J. Balogh and D. Kaptás, Magnetic properties of Fe–Zr metastable phases 229
Knobel, M., C. Gómez-Polo and M. Vázquez, Evaluation of the linear magnetostriction in amorphous wires using the giant magneto-impedance effect 243
Knobel, M., see Dahlgren, M. 247
Kobayashi, H., see Takahashi, N. 98
Kochmann, T., Relationship between rotational and alternating losses in electrical steel sheets 145
Kochmann, T., see Duan X. 133
Kochmann, T., see Sievert, J. 115
Kogiku, F., see Nakata, T. 119
Kolano, R., N. Wójcik and W. Gawior, A three-limb amorphous magnetic circuit for three-phase 200 kVA distribution transformers 213
Kollár, P., see Kisdi-Koszó, É. 333
Kolpakova, L., J. Pietrzak and V. Starodub, The nature of magnetic anisotropy in ilmenite $NiFe_{0.5}V_{0.5}O_{3-\delta}$ 374
Kolpakova, L., see Pawlicki, P. 372
Komatubara, M., see Takamiya, T. 131
Konc, M., see Novák, L. 261
Konn, A.M., see Laurent, P. 63
Kopcewicz, M., see Czapkiewicz, M. 357
Kostishyn, V.G., L.M. Letyuk, A.G. Kirpenko, A.T. Morchenko and M.N. Shipko, Hard bubble suppression in (Ca, Ge)-substituted magnetic epigarnets by high-dose gamma-irradiation 365
Kostishyn, V.G., L.M. Letyuk, M.N. Shipko and A.G. Kirpenko, Influence of corona discharge on the hysteresis loop of magnetic garnet films 363
Kostishyn, V.G., L.M. Letyuk, M.N. Shipko and V.D. Fedoriv, Mössbauer conversive spectroscopy of radiation defects in gamma-irradiated magnetic garnets 361
Kraus, L., see Hašlar, V. 257
Kraus, L., see Heczko, O. 259
Kraus, L., see Kaczkowski, Z. 275
Kraus, L., see Ljungcrantz, B. 305
Kudakov, A.D., see Bi, D.Y. 157
Kudakov, A.D., see Zubov, V.E. 19
Kühn, U., see Müller, M. 284
Kułakowski, K., see Miktus, A. 341
Kulik, T. and A. Hernando, Magnetic properties of $Fe_{76.5-x}Cu_1Nb_xSi_{13.5}B_9$ alloys nanocrystallized from amorphous state 269
Kundu, A., see Nafalski, A. 84
Kurlyandskaya, G.V., N.V. Dmitrieva, T.Ye. Zayarnaya, V.A. Lukshina and A.P. Potapov, The thermomechanical treatment of an amorphous Co-based alloy with a low Curie temperature 307
Kuss, C., see Kussbach, C. 293
Kussbach, C., R. Sato Turtelli, C. Kuss, D. Holzer and R. Grössinger, Magnetostriction and disaccommodation in $Fe_{85}B_{15}$ 293
Kuźmiński, M., Computerized magneto-optical Kerr effect system for dynamic domain structure observations 191
Kuźmiński, M., see Kisdi-Koszó, É. 333
Labeyrie, M., see Lebourgeois, R. 329
Latosińka, J.N., see Pawlicki, P. 372
Laurent, P., G. Viau, A.M. Konn, Ph. Gelin and M. Le Floc'h, Effect of the magnetic fraction on the complex susceptibility of soft magnetic composite materials 63
Laurent, P., see Mattei, J.-L. 23
Lebourgeois, R., C. Le Fur, M. Labeyrie, M. Paté and J.-P. Ganne, Permeability mechanisms in high frequency polycrystalline ferrites 329
Lecaude, N. and J.C. Perron, Modelling of nanocrystallization in Finemet-type alloy from enthalpy measurements 263
Lee, F.C., see Skutt, G. 318
Le Floc'h, M., see Laurent, P. 63
Le Floc'h, M., see Mattei, J.-L. 23
Le Fur, C., see Lebourgeois, R. 329
Lepalovskij, V.N. and V.O. Vas'kovskij, Magnetoresistive 3d-metal alloy films with low coercive force 343
Letyuk, L.M., see Kostishyn, V.G. 361
Letyuk, L.M., see Kostishyn, V.G. 363
Letyuk, L.M., see Kostishyn, V.G. 365
Leuridan, K., see Duan, X. 133
Levshin, N.L., see Zubov, V.E. 19
Lijun, W., see Zbroszczyk, J. 281
Lin, P., see Hayakawa, Y. 143
Ling, P., see Khanlou, A. 159
Ljungcrantz, B., R. Grössinger and L. Kraus, Anisotropy measurements on stress annealed amorphous $Co_{17}Fe_{68}B_{15}$ and $Co_{23}Fe_{62}B_{15}$ 305
Lo Bue, M. and G. Bertotti, Temperature dependence of hysteresis loops in non-oriented SiFe alloys 51
Lubecka, M., L.J. Maksymowicz and R. Żuberek, Exchange constant of magnetic semiconductors with reentrant transition 21
Luciński, T., D. Elefant, G. Reiss and J. Dubowik, Hall effect in an annealed Fe/Cr multilayer exhibiting GMR 347
Luciński, T., F. Stobiecki and K. Chrzumnicka, Magnetoresistance studies of discontinuous multilayer thin Co/Ag films 354
Lüdke, J., see Ahlers, H. 187
Lukshina, V.A., see Kurlyandskaya, G.V. 307

Maeda, H., K. Harada, Y. Ishihara and T. Todaka, Performance of the magnetostriction of a silicon steel sheet with a bias field 149
Magdoń, M.S., see Maksymowicz, A.Z. 53
Magni, A., see Durin, G. 299
Makino, A., see Hasegawa, N. 249
Maksymowicz, A.Z. and M.S. Magdoń, Effect of atomic ordering on linear magnetostriction in PdFe alloys 53
Maksymowicz, L.J., see Lubecka, M. 21
Małkiński, L. and A. Ślawska-Waniewska, Temperature dependence of the Barkhausen noise in $Fe_{66}Cr_8Cu_1Nb_3Si_{13}B_9$ nanocrystalline alloy 273

Markowski, G. and J. Szczygłowski, Magnetic cores made of VITROVAC® and VITROPERM® in separating transformers used in thyristor tripping circuits 215
Marthouret, F., see Peccolo, M.A. 47
Marti, W., see Przenioslo, R. 370
Maryanowska, A., see Pawlicki, P. 372
Masson, J.P., see Peccolo, M.A. 47
Masumoto, T., see Hasegawa, N. 249
Matsubara, K., T. Nakata, M. Nakano, K. Fujiwara, H.L. Zhu and H. Takahara, A method for separating iron loss into hysteresis and eddy current losses using distorted fluxes 41
Matsubara, K., T. Nakata, N. Takahashi, K. Fujiwara, M. Nakano, H.L. Zhu and H. Aoki, Effect of staircase output voltage waveform of a D/A converter on iron losses measured using an H coil 185
Mattei, J.-L., P. Laurent, O. Minot and M. Le Floc'h, Theoretical and experimental modelling of composites with oriented soft magnetic particles 23
Mattern, N., see Müller, M. 284
Maziewski, A., see Jabłoński, R. 367
Mekhiche, M., Th. Waeckerlé and B. Cornut, A metallurgical and magnetic study of {100} textured soft magnetic sheets 125
Mekhiche, M., see Ossart, F. 71
Menard, D., see Rudkowski, P. 313
Meydan, T., see Nicholson, P.I. 162
Meydan, T., see Oduncu, H. 233
Meydan, T., see Sievert, J. 115
Miano, G., C. Serpico and C. Visone, A new model of static scalar hysteresis 89
Miktus, A., J. Wenda and K. Kułakowski, Computer simulations of the temperature dependence of the uniaxial magnetic anisotropy induced in amorphous FeBSi thin films during rf sputtering 341
Minot, O., see Mattei, J.-L. 23
Mishima, Y., see Yoshitomi, Y. 123
Morchenko, A.T., see Kostishyn, V.G. 365
Moses, A., see Sievert, J. 115
Moses, A.J., see Basak, A. 210
Moses, A.J., see Khanlou, A. 159
Moses, A.J., see Nicholson, P.I. 162
Moussaoui, D., see Spornic, S. 147
Müller, M., H. Grahl, N. Mattern, U. Kühn and B. Schnell, The influence of Co on the structure and magnetic properties of nanocrystalline FeSiB–CuNb and FeZrBCu-based alloys 284
Munoz, J.S., see Ślawska-Waniewska, A. 251
Muramatsu, K., see Nakata, T. 177
Murashige, S., see Saito, A. 57
Murashige, S., see Saito, A. 59
Murashov, V.A., see Sosnowska, I. 384
Murillo, N., see Quintana, P. 245
Mydlarz, T., see Jacyna-Onyszkiewicz, I. 376
Mydlarz, T., see Jacyna-Onyszkiewicz, I. 379
Nafalski, A., B.G. Hoskins, A. Kundu and T. Doan, The use of neural networks in describing magnetisation phenomena 84
Nafalski, A., T. Doan and Ö. Göl, Application of a virtual instrument concept in magnetic measurements 154
Nagacevschi, V., see Chiriac, H. 239
Nagai, T., see Nakata, T. 119
Nakamura, K., see Enokizono, M. 61
Nakano, M., see Matsubara, K. 185
Nakano, M., see Matsubara, K. 41
Nakano, M., see Nakata, T. 177
Nakata, K., see Saito, A. 59
Nakata, T., M. Nakano, K. Fujiwara, K. Muramatsu, H.L. Zhu and H. Yano, Effects of geomagnetism and residual magnetism on single sheet testers for amorphous magnetic material 177
Nakata, T., Y. Ishihara, Y. Kamijyo, T. Nagai, F. Kogiku, Y. Tani and K. Yago, Intercomparison of a single sheet tester for amorphous alloys by round robin measurements in Japan 119
Nakata, T., see Matsubara, K. 185
Nakata, T., see Matsubara, K. 41
Narita, K., see Zbroszczyk, J. 281
Németh, S., C. Hargitai, L. Szabó and L. Papp, Field and loss measurements in Epstein frame and sheet testers 183
Nencib, N., A. Kedous-Lebouc and B. Cornut, Experimental analysis of the field distribution in a large RSST 171
Nencib, N., A. Kedous-Lebouc and B. Cornut, Performance evaluation of a large rotational single sheet tester 174
Nencib, N., see Kedous-Lebouc, A. 45
Nguyen, A.-M., see Cercelaru, S. 338
Nicholson, P.I., M.H. So, T. Meydan and A.J. Moses, Non-destructive surface inspection system for steel and other ferromagnetic materials using magneto-resistive sensors 162
Ninomiya, M., see Haiji, H. 109
Nishimizu, A., see Enokizono, M. 43
Novák, L., É. Kisdi-Koszó, M. Konc and M. Zatroch, Clusterization in FeNiZr and FeCuBZr amorphous alloy 261
Nowicki, P., see Ślawska-Waniewska, A. 251
Nussbaum, C., T. Booth, A. Ilo and H. Pfützner, A neural network for the prediction of performance parameters of transformer cores 81

Oduncu, H. and T. Meydan, A novel method of monitoring biomechanical movements using the magnetoelastic effect 233
Oka, M., see Enokizono, M. 43
Okada, K., see Haiji, H. 109
Okazaki, Y., Loss deterioration in amorphous cores for distribution transformers 217
Olszewski, J., see Zbroszczyk, J. 141
Olszewski, J., see Zbroszczyk, J. 277

Olszewski, J., see Zbroszczyk, J. 279
Olszewski, J., see Zbroszczyk, J. 281
Ossart, F., M. Mekhiche and T. Waeckerlé, Numerical simulation of an Epstein frame used for anisotropy measurements 71
Óvári, T.A., see Chiriac, H. 237

Palacios, E., see Przeniosło, R. 370
Palumbo, G., see Hayakawa, Y. 143
Papp, L., see Németh, S. 183
Pasquale, M., see Crottier-Combe, S. 151
Pasquale, M., see Viala, B. 315
Paté, M., see Lebourgeois, R. 329
Pawlicki, P., L. Kolpakova, A. Maryanowska, J.N. Latosińka and J. Pietrzak, A spin model for magnetization in the ilmenite $NiFe_{0.5}V_{0.5}O_{3-\delta}$ 372
Peccolo, M.A., F. Marthouret, J.P. Masson and H. Fraisse, Frequency limits of a large signal dynamic model of magnetic circuits 47
Perov, N.S., see Gan'shina, E.A. 335
Perron, J.-C., see Cercelaru, S. 338
Perron, J.C., see Houzali, A. 291
Perron, J.C., see Lecaude, N. 263
Pfützner, H., see Hasenzagl, A. 180
Pfützner, H., see Hasenzagl, A. 55
Pfützner, H., see Ilo, A. 38
Pfützner, H., see Nussbaum, C. 81
Pfützner, H., see Weiser, B. 207
Philips, D.A. and L.R. Dupré, Macroscopic fields in ferromagnetic laminations taking into account hysteresis and eddy current effects 5
Pietrzak, J., see Kolpakova, L. 374
Pietrzak, J., see Pawlicki, P. 372
Pilipenko, V.V., see Zubov, V.E. 19
Pogány, L., C. Hargitai and I. Varga, Arrangement for the investigation of domain behaviour under low-frequency magnetic fields 189
Pop, Gh., see Chiriac, H. 237
Porteseil, J.L., see Crottier-Combe, S. 151
Potapov, A.P., see Kurlyandskaya, G.V. 307
Prida, V.M., see Tejedor, M. 311
Protat, F., see Duan, X. 133
Przeniosło, R., I. Sosnowska, P. Fischer, W. Marti, F. Bartolomé, J. Bartolomé, E. Palacios and R. Sonntag, Magnetic moment ordering of Nd^{3+} and Fe^{3+} in $NdFeO_3$ at low temperature 370
Przeniosło, R., see Sosnowska, I. 382
Przeniosło, R., see Sosnowska, I. 384

Quintana, P., E. Amano, C. Echavarrieta, R. Valenzuela, N. Murillo, J.M. Blanco and J. Gonzalez, Domain wall relaxation in Co-rich amorphous wires 245

Radkovskaya, A.A., see Gan'shina, E.A. 335
Ratajczak, H., see Chrzumnicka, K. 349
Reiss, G., see Luciński, T. 347
Repetto, M., see Bottauscio, O. 94
Repetto, M., see Bottauscio, O. 96
Rieheman, W., see Weidenfeller, B. 136
Riehemann, W., see Weidenfeller, B. 287
Rietto, A.M., see Sievert, J. 115
Roell, K., see Szymański, B. 351
Rohrmann, H., see Szymański, B. 351
Roth, S., The growth of α-Fe(Si) particles in an amorphous $Fe_{73.5}Mo_3Cu_1Si_{13.5}B_9$ alloy 266
Rowe, D.M., see Basak, A. 197
Rudkowska, G., see Rudkowski, P. 313
Rudkowski, P., P. Ciureanu, G. Rudkowska, M. Britel, D. Menard, J.O. Ström-Olsen and A. Yelon, Anisotropic magnetoresistance and giant magnetoimpedance effects in soft magnetic fibers 313

Sadarnac, D., see Kaczmarek, R. 49
Saito, A., K. Nakata and S. Murashige, The two-dimensional magnetic change process of grain-oriented silicon steel under tensile stress 59
Saito, A., M. Hashimoto, E. Kawaguchi and S. Murashige, Stress–magnetization properties of a silicon iron single crystal under stress 57
Sánchez, M.L., see Tejedor, M. 311
Sánchez, M.L., see Valenzuela, R. 241
Sasaki, T., see Takada, S. 33
Sato, T., see Fujikura, M. 289
Sato Turtelli, R., see Kussbach, C. 293
Sawairi, H., see Fujikura, M. 289
Schnell, B., see Müller, M. 284
Sebastián, J., see Valenzuela, R. 241
Serpico, C., see Miano, G. 89
Shibao, K., see Enokizono, M. 73
Shiojiri, M., see Sosnowska, I. 382
Shipko, M.N., see Kostishyn, V.G. 361
Shipko, M.N., see Kostishyn, V.G. 363
Shipko, M.N., see Kostishyn, V.G. 365
Shirkoohi, G.H., see Wu, Z.Q. 79
Sievert, J., H. Ahlers, M. Birkfeld, B. Cornut, F. Fiorillo, K.A. Hempel, T. Kochmann, A. Kedous-Lebouc, T. Meydan, A. Moses and A.M. Rietto, European intercomparison of measurements of rotational power loss in electrical sheet steel 115
Sievert, J., see Ahlers, H. 187
Sievert, J.D., see Kanada, T. 77
Sievert, J.D., see Son, D. 65
Skutt, G. and F.C. Lee, Examining flux distributions in ferrite magnetic structures 318
Sláma, J., V. Jančárik and E. Ušák, The correlation between the complex permeability and the stray flux in the gaps between the laminations 203
Ślawska-Waniewska, A. and R. Żuberek, Magnetic properties of FeZrB(Cu) amorphous alloys; the effect of boron content 253
Ślawska-Waniewska, A., J.S. Munoz and P. Nowicki, Evolution of the crystalline phase with annealing temperature in $Fe_{89}Zr_7B_4$ alloy 251
Ślawska-Waniewska, A., see Brzózka, K. 255

Ślawska-Waniewska, A., see Małkiński, L. 273
Smardz, L., see Chrzumnicka, K. 349
So, M.H., see Nicholson, P.I. 162
Son, D., J.D. Sievert and Y. Cho, Core loss measurements including higher harmonics of magnetic induction in electrical steel 65
Sonntag, R., see Przeniosło, R. 370
Sosnowska, I., R. Przeniosło, M. Shiojiri and P. Fischer, Neutron diffraction studies of the crystal and magnetic structure of $BaTi_2Fe_4O_{11}$ 382
Sosnowska, I., R. Przeniosło, P. Fischer and V.A. Murashov, Neutron diffraction studies of the crystal and magnetic structures of $BiFeO_3$ and $Bi_{0.93}La_{0.07}FeO_3$ 384
Sosnowska, I., see Przeniosło, R. 370
Spornic, S., D. Moussaoui, A. Kedous-Lebouc and B. Cornut, Frequency magnetic behaviour of SiFe sheets in a rotational field 147
Spornic, S., see Kedous-Lebouc, A. 45
Squire, P.T., Magnetomechanical measurements and their application to soft magnetic materials 11
Stabrowski, M., see Tumański, S. 165
Standaert, C., K. Eloot, A. De Paepe and P. Wokowski, Decarburisation of interlocked and laser welded stator and rotor cores 139
Standaert, C., see De Paepe, A. 129
Starodub, V., see Kolpakova, L. 374
Stobiecki, F., see Chrzumnicka, K. 349
Stobiecki, F., see Luciński, T. 354
Stobiecki, F., see Szymański, B. 351
Stobiecki, T., see Czapkiewicz, M. 357
Stoppels, D., Developments in soft magnetic power ferrites 323
Ström-Olsen, J.O., see Rudkowski, P. 313
Suga, Y., see Takahashi, N. 98
Sukiennicki, A., Chaos in structurally perfect soft magnets 1
Švec, P., see Hašlar, V. 257
Švec, P., see Heczko, O. 259
Swan, J.-P. and O. Walti, Impact of asymmetrical induction waves on the behaviour of soft magnetic materials 29
Swan, J.-P. and O. Walti, Simplified spectrum characterization of soft magnetic materials under PWM excitation 27
Swan, J.-P., O. Walti and T. Belgrand, Influence of PWM waveform parameters on the breakdown of harmonic losses in electrical steels 31
Świerczek, J., J. Zbroszczyk, S. Szymura and B. Wysłocki, Influence of annealing on the magnetic properties of Co-based amorphous alloys 295
Szabó, I., see Kisdi-Koszó, É. 333
Szabó, L., see Németh, S. 183
Szczygłowski, J., see Markowski, G. 215
Szpunar, J.A., see Hayakawa, Y. 143
Szymański, B., J. Dubowik, F. Stobiecki, H. Rohrmann and K. Roell, Changes in magnetic properties of Ni/Zr multilayers induced by low-temperature annealing 351
Szymański, B., see Chrzumnicka, K. 349
Szymura, S., see Świerczek, J. 295
Szymura, S., see Zbroszczyk, J. 279
Szymura, S., see Zbroszczyk, J. 281

Takada, S. and T. Sasaki, Influence of magnetization pause on the magnetic properties of an electrical iron sheet 33
Takahara, H., see Matsubara, K. 41
Takahashi, N., Y. Suga and H. Kobayashi, Recent developments in grain-oriented silicon-steel 98
Takahashi, N., see Matsubara, K. 185
Takahashi, N., see Yoshitomi, Y. 123
Takamiya, T., M. Komatubara, Y. Hayakawa and T. Kan, Influence of heat treatment before secondary recrystallization on magnetic properties of 3% Si grain-oriented steel containing Sb 131
Tanaka, O., see Yoshitomi, Y. 123
Tanaka, Y., see Zbroszczyk, J. 141
Tani, Y., see Nakata, T. 119
Tejedor, M., B. Hernando, M.L. Sánchez and V.M. Prida, The frequency dependence of permeability in $Co_{66.5}Fe_{3.5}Si_{12}B_{18}$ metallic glasses 311
Tejedor, M., J.A. García and J. Carrizo, Variation of the in-plane magnetic anisotropy along the width of amorphous magnetic ribbons 309
Tekielak, M., see Jabłoński, R. 367
Tellería, I., see Fernández Barquín, L. 297
Tiberto, P., V. Basso, C. Beatrice and G. Bertotti, Hysteresis properties of conventionally annealed and Joule-heated nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloys 271
Tiberto, P., see Dahlgren, M. 247
Tishchenko, N.P., see Jacyna-Onyszkiewicz, I. 376
Todaka, T., see Enokizono, M. 61
Todaka, T., see Maeda, H. 149
Toliński, T., see Baszyński, J. 345
Tomáš, I., see Vértesy, G. 25
Tremblay, G., see Cercelaru, S. 338
Tumański, S. and M. Stabrowski, Magnetovision system: new method of investigating steel sheets 165
Tumański, S., see Kaleta, J. 199

Ušák, E., see Sláma, J. 203

Valenzuela, R. and J.T.S. Irvine, Domain wall relaxation frequency and magnetocrystalline anisotropy constant in Ni–Zn ferrites 386
Valenzuela, R., M.L. Sánchez, J. Sebastián, M. Vázquez and A. Hernando, Modeling of the magnetoimpedance response in low-magnetostriction amorphous wires 241
Valenzuela, R., see Quintana, P. 245
Valkovic, Z., Investigations of core noise levels using a dry-type transformer model 205
Varga, I., see Pogány, L. 189
Varga, L.K., see Zbroszczyk, J. 279
Vas'kovskij, V.O., see Lepalovskij, V.N. 343
Vázquez, M. and A.P. Zhukov, Magnetic properties of glass-coated amorphous and nanocrystalline microwires 223
Vázquez, M., see Gómez-Polo, C. 194

Vázquez, M., see Knobel, M. 243
Vázquez, M., see Valenzuela, R. 241
Vértesy, G. and I. Tomáš, Quantitative empirical correlation between coercivity and uniaxial anisotropy 25
Vértesy, Z., see Kisdi-Koszó, É. 333
Viala, B., J. Degauque, M. Baricco, E. Ferrara, M. Pasquale and F. Fiorillo, Magnetic and mechanical properties of rapidly solidified Fe–Si 6.5 wt% alloys and their interpretation 315
Viau, G., see Laurent, P. 63
Visone, C., see Miano, G. 89
Vlasák, G., see Kaczkowski, Z. 275

Wac-Włodarczyk, A., Selection of core materials for magnetic frequency multipliers 201
Waeckerlé, T., see Ossart, F. 71
Waeckerlé, Th., see Cornut, B. 102
Waeckerlé, Th., see Mekhiche, M. 125
Walti, O., see Swan, J.-P. 27
Walti, O., see Swan, J.-P. 29
Walti, O., see Swan, J.-P. 31
Weidenfeller, B. and W. Rieheman, Domain refinement and domain wall activation of surface treated Fe–Si sheets 136
Weidenfeller, B. and W. Riehemann, Surface treatment of Finemet for reduction of power loss 287
Weiser, B., A. Hasenzagl, T. Booth and H. Pfützner, Mechanisms of noise generation of model transformer cores 207
Weiser, B., see Hasenzagl, A. 180
Weiser, B., see Hasenzagl, A. 55
Weiser, B., see Ilo, A. 38
Wenda, J., see Miktus, A. 341
Wójcik, N., see Kolano, R. 213
Wokowski, P., see Standaert, C. 139
Wu, Z.Q., G.H. Shirkoohi and J.Z. Cao, Simple dynamic hysteresis modelling of three phase power transformer 79
Wysłocki, B., see Świerczek, J. 295
Wysłocki, B., see Zbroszczyk, J. 279
Wysłocki, B., see Zbroszczyk, J. 281

Yago, K., see Nakata, T. 119
Yamasaki, K., see Yoshitomi, Y. 123
Yano, H., see Nakata, T. 177
Yashiki, H. and T. Fukagawa, Secondary recrystallization behavior in grain-oriented 2.3% Si–1.7% Mn steel 127
Yasin, M.R., see Basak, A. 210
Yelon, A., see Rudkowski, P. 313
Yoshitomi, Y., N. Takahashi, O. Tanaka, M. Ishibashi, Y. Mishima and K. Yamasaki, Ultrathick glassless high-permeability, grain-oriented silicon steel sheets with high workability 123

Zatroch, M., see Novák, L. 261
Zayarnaya, T.Ye., see Kurlyandskaya, G.V. 307
Zbroszczyk, J., H. Fukunaga, J. Olszewski, W.H. Ciurzyńska and M. Hasiak, The role of Nb and Cu in the creation of nanostructure in Fe-based amorphous alloys 277
Zbroszczyk, J., K. Narita, J. Olszewski, W. Ciurzyńska, W. Lijun, B. Wysłocki, S. Szymura and M. Hasiak, Effect of Co addition on the microstructure and magnetic properties of Fe–Cu–Nb–Si–B alloy 281
Zbroszczyk, J., L.K. Varga, J. Olszewski, W.H. Ciurzyńska, B. Wysłocki, S. Szymura, M. Hasiak and G. Haneczok, After-effect and microstructure of nanocrystalline alloys with different as-quenched disorder 279
Zbroszczyk, J., W.H. Ciurzyńska, Y. Tanaka, M. Enokizono, J. Olszewski and M. Hasiak, Microstructure and some magnetic properties of high-silicon Fe–Si sheets 141
Zbroszczyk, J., see Świerczek, J. 295
Żebracki, J., see Kaleta, J. 199
Zhu, H.L., see Matsubara, K. 185
Zhu, H.L., see Matsubara, K. 41
Zhu, H.L., see Nakata, T. 177
Zhukov, A.P., see Vázquez, M. 223
Żuberek, R., see Lubecka, M. 21
Żuberek, R., see Ślawska-Waniewska, A. 253
Zubov, V.E., A.D. Kudakov, N.L. Levshin and V.V. Pilipenko, Anomalous influence of physical adsorption on the magnetic properties of iron single crystals 19
Zubov, V.E., see Bi, D.Y. 157

ELSEVIER

Journal of Magnetism and Magnetic Materials 160 (1996) 397–398

Journal of magnetism and magnetic materials

Subject index to volume 160

Adsorption 19
Aftereffect 279
Amorphization 357
Amorphous systems
– core building factor 217
– crystalline thermocouple 239
– distribution transformer 213, 217
– microwires 223
– wires 194, 237, 241, 243, 245
Anisotropic magnetoresistance effect 313
Anisotropy 25, 257, 309, 338, 341, 351, 365, 367, 374
– induced 302, 305, 307
– interface 347
– magnetocrystalline 91, 102, 386
– magnetoelastic 223, 261
– measurements 71
– orthorhombic 363
Annealing 249, 338
– high heating rate 133
– high temperature 365
Atomic ordering 53

Barkhausen
– effect 299
– noise 43, 273
– single jump 194
$BaTi_2Fe_4O_{11}$ 382
Bias field 149
$Bi_{0.93}La_{0.07}FeO_3$ 384
$BiFeO_3$ 384
Biomechanical strain 233
Bone fracture healing 233

Calorimetry (DSC) 263
Cellular automata 341
Characterization in rotating field 43, 73, 125
Characterization under PWM excitation 27, 29, 31
Chemical vapor deposition 109, 151
Cluster effects 261
Co substitution 284
Coercive field 269, 277, 333, 338, 343
Coercivity 25, 247, 284, 357, 359
Coercivity meter 187
Complex permeability 203, 311
– spectra 329
Composite materials 63
– critical concentration 23
Core
– design 323
– interlocked 139
– vibrations 207
Corona discharge 363
Cross rolling 125
Crystallization 229, 251, 269, 277, 297
– surface 289
Curie temperature 259, 307
Current sensor 194

D/A converter 185
Dc Joule heating 271
Decarburisation 139
ΔE effect 11
Demagnetizing field 71
Deterministic chaos 1
Disaccommodation 141, 293
Distorted flux 41
Domain walls 19
– models 11
– patterns 162, 189
– refinement 136, 287
– structures 191, 249
– wall activation 136
– wall dynamics 1, 299
– wall relaxation 386
Double H coil method 171, 174

Earth field compensation 187
Eddy currents effects 5, 19, 96
Effective medium theory 23
Eigenvalues 17
Electrical conductivity 357
Electrical machine dynamic modelling 68
Electrical steel 17, 33, 51, 57, 59, 102, 115, 145, 167, 210
– grain oriented 127, 143
– high silicon content 141
– rapidly solidified 315
– ultra low carbon 129
– workability 109
Epstein frame 71, 183
Exchange constant 21

Faraday rotation 363
Fatigue level 43
FeCoNi films 343
FeCoV alloy 359
Ferrites 323, 376, 379
– spinel 329
Ferromagnetic resonance 63, 367
FeSi 6.5% alloy 151, 315
FeSi single crystal 57
Finite element method 71, 96
Form factor 61
Frequency behaviors 63

Garnet films 25, 361, 363, 365, 367
Giant magnetoimpedance effect 241, 243, 313
Glass coating technique 223
Glass film coating 123
Grain boundary 143
Grain oriented silicon steel 55, 59, 98, 123, 131, 136, 167, 217
– ultra-thick gauge 123
– workability 123
Grain size 359
Granular alloys 335
Graphical programming 154

Hall probe 171
Hard bubble suppression 365
Harmonic parameters 27, 31
Heat treatment 275
High speed induction motors 75
Hollandite 379
Hot rolling process 129
Hydrogen absorption and desorption 261
Hysteresis 5, 271
– loop 33, 45, 47, 51, 84, 91, 157, 363

– losses 41
– model 35, 96, 102
– modelling 79
– static scalar 89

Ilmenite ferrite 372, 374, 376
Impurities 289
Inconel 600 43
Influence of geomagnetism 177
Inhibitors 98, 125, 127
Inner demagnetizing factor 261
Intercomparison of magnetic measurements 115, 119
Internal fixation plates 233
Invar alloys 253, 259
Ion implantation 365
Ionizing irradiation 361, 365
Iron whiskers 19

Joule heating 247, 291

Kerr effect 191

Laser scribing 136
Layered crystalline structure 374
Liquid phase epitaxy 361, 363, 365
Long range magnetic ordering 370, 382
Losses 31, 33, 38, 49, 109, 151, 159, 174, 183, 185, 302, 315, 323, 329, 359
– core 65, 201, 217
– eddy current 41, 323
– frequency dependence 147, 287
– improvement 287
– measurement 65
– rotational 45, 102, 115, 145, 147, 180
– – geometrical model 45

Magnetic bistability 223
Magnetic circuit dynamical modelling 47
Magnetic field calculation 47
Magnetic field distribution 171
Magnetic frequency multiplier 201
Magnetic imaging 162
Magnetic measurements 154, 159, 165, 197, 199
Magnetic ordering 379
Magnetic phase transition 376
Magnetic relaxation 63
– frequency measurements 386
Magnetic semiconductors 21
Magnetic susceptibility 63, 141, 279, 281, 295
Magnetization 84, 189, 266
– change under stress 57
– mechanisms 329
– pause 33
– processes 35, 191, 273
– reversal 35
– reversible changes 57
– rotational 17, 55, 180
– saturation 363
Magnetoelectric effect 384
Magnetomechanical measurements 11
Magnetooptical spectra 335
Magnetooptical technique 19, 157
Magnetoresistance 343
– giant 347, 354
Magnetostriction 11, 33, 53, 55, 109, 149, 167, 233, 243, 257, 275, 284, 293
Magnetotransport properties 347, 354
Matteucci effect 194
Mean induction 29
Mechanical properties 133, 199, 291, 315
Metallic glasses 119, 217, 229, 253, 255, 261, 269, 275, 284, 289, 293, 295, 297, 299, 302, 305, 309, 311
– containing Ti 210
– thin layer 289, 333
Metastable phases 229
Microstructure 141, 251, 279, 281, 343
Mixed valence 376, 379
Mössbauer spectroscopy 229, 255, 277, 281
– conversive 361
Multilayered structures 347, 349, 351, 354, 357

Nanocrystalline alloys 249, 251, 257, 259, 266, 269, 271, 273, 275, 277, 279, 281, 284, 287, 295, 333
Nanocrystalline microwires 223
Nanocrystallization modelling 263
Neural networks 84
– performance predictions 81
Neutron diffraction 370, 382
Non-oriented silicon steel 133, 149
Nondestructive testing 43, 162
Nonlinear model 94
Numerical methods 5, 94

Orthoferrites 370

PdFe alloys 53
Permeability
– frequency dependence 245, 311
– tensor 17
Power converter 49
Power supplies 323
Preisach model 51, 87

Radiation defects 361
Random bond model 372
Reheating temperature 98
Reluctivity tensor 73
Residual magnetism 177
Resistivity 297
Reversible processes 87
Rotational magnetic field 174

Scanning electron microscopy 189
Secondary recrystallization 98, 127, 131
Sensors 199
– magnetic 197
– magnetoelastic 233
– magnetoresistive 162
– special 77
Sheet testers 65, 119, 171, 174, 177, 180, 183
6.5% Si steel 109, 315
Siliconizing 109
Single phase motors 75
Sn addition 289
Solid state reaction 351
Spin glasses 382
Staircase voltage 185
Stray flux 203
Stress
– compressive 57
– magnetization curve 59
– relaxation 291
– tensile 57
Surface
– magnetic properties 157, 333
– treatment 287

Testing device 165
Texture 133
– {100}⟨001⟩ 102
– cubic 125
– film 338
– Goss 127, 129, 143
Thermoelectric properties 239
Thermomechanical treatment 307
Thermostimulated conduction current 361
Thin films 21, 338, 341, 345
Thin layers 333
Transformation kinetics 266
Transformer 81
– core noise 38, 205, 207
– distribution 217
– modelling 79
– separating 215
– single phase 61
– three phase amorphous 77, 210
– wound core 61, 159
Two-dimensional magnetization 59
Two-dimensional modelling 71

Virtual instrumentation 154

X-ray diffraction 263, 357